

LE NOTATIONS

Entered in N I _____

Entered On S R Sheet _____

Location Map Pinned _____

Card Indexed _____

W R for State or Fee Land _____

Checked by Chief _____

Copy N I D to Field Office _____

Approval Letter _____

Disapproval Letter _____

COMPLETION DATA:

Date Well Completed September, 1935 Location Inspected _____

OW _____ WW _____ TA _____

Bond released _____

GW _____ OS _____ PA ☒ _____

State of Fee Land _____


LOGS FILED

Drill's Log _____

Electric Logs (No.) _____

E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____

Lat _____ Mi-L _____ Sonic _____ Others _____



LOCATE WELL CORRECTLY

U. S. LAND OFFICE Salt Lake
 SERIAL NUMBER 032067
 LEASE OR PERMIT TO PROSPECT Oil

DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY
 RECEIVED

NOV - 2 1928

SALT LAKE CITY, UTAH
 MINERAL LEASE

LOG OF OIL OR GAS WELL

Company Diamond Oil Address 302 Vermont Building, S. LakeLessor or Tract 1/1 Field Virgin State UtahWell No. 01 Sec. 16 T. 4 S. R. 12 W. Meridian Salt Lake County WashingtonLocation ft. (N.) of ... and ft. (E.) of ... Elevation ft. (Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon
 so far as can be determined from all available records.

Signed [Signature]
 Date Nov. 2 - 1928 Title Owner of Permit

The summary on this page is for the condition of the well at above date.

Commenced drilling about August 1, 1924 Finished drilling About Sept. 25, 1924

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from ... to ... No. 4, from ... to ...No. 2, from ... to ... No. 5, from ... to ...No. 3, from ... to ... No. 6, from ... to ...

IMPORTANT WATER SANDS

No. 1, from ... to ... No. 3, from ... to ...No. 2, from ... to ... No. 4, from ... to ...

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Out end pulled from	Perforated from	To	Sample - Oil
9 1/8"	44	8	...	40 feet	Regu
...
...
...
...
...
...
...
...
...

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
...
...
...
...
...
...
...
...
...

Heaving plug—Material

Length

Depth set

Adapters—Material

Size

MUDDING AND CEMENTING RECORD

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "shotracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state date, material used, position, and results of pumping or bailing.

Well was drilled with No. 23 Star Rig. A formation water shut-off

was made to shut off a small amount of surface water at 70 feet, with

9 5/8" ordinary oil well casing and regular stock shoe. Drilling

continued with 8" bit to total depth of 830 feet, when work was suspended.

Drilling was conducted by the Diamond Oil Company. No oil was encountered, and the hole was left dry from water with Wooden plug in 9 5/8" casing to protect same from public.

Arrangements are now being consummated to have the hole continued, and it is hoped that within a short time--probably two weeks' time a contract will be let to a reliable drilling concern to begin drilling operations in said hole, provided the Department will extend time in which to comply with its requirements.

HISTORY OF OIL OR GAS WELL

RECEIVED
OCT 11 1938

GEOLOGICAL SURVEY
DEPARTMENT OF THE INTERIOR

RECEIVED
OCT 11 1938

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

[illegible]

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

Cable tools were used from one feet to 830 feet, and from _____ feet to _____ feet.

DATES

_____, 19____ Put to producing _____, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

W. A. Gahagan, Driller
Preston Bradshaw, Driller

FORMATION RECORD

FROM	TO	TOTAL FEET	FORMATION
1	480	480	Surface dirt and red shale
480	510	30	Virgin Lime
510	820	310	red shale
820	830	10	Sandy Lime

REPRODUCTION PROHIBITED - CONFIDENTIAL

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SALT LAKE CITY
MINERAL LEASING DIV.

U.S. Land Office Salt Lake

Serial Number 088057

License or Permit Permit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF SHOOTING
NOTICE OF INTENTION TO CHANGE PLANS	RECORD OF PERFORATING CASING
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO ABANDON WELL
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HISTORY
	Intention to clean out

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 25, 1925

Following is a {notice of intention to do work
report of work done} on land under {permit
088057} described as follows:

Utah (State or Territory)

Washington (County or Subdivision)

Virgin (Field)

Well No. 1 888882 1 41 S. 12 W. 8.1. (Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 1860 ft. N of 8. line and 14 ft. E of 8. line of sec. 1

The elevation of the derrick floor above sea level is 5950 ft. approx.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

This well was drilled from August 1924 to Sept. 1925. Log submitted Nov. 2, 1928. The location of the well was in error on the log, it was reported in Sec. 6, 41S. 11W. A recent survey gives the measurements as above. Log signed by John T. White, permittee. T.D. 830'. No water, oil, or gas, encountered. 9 5/8" casing set at 708.

Permission desired to clean out well and test it. It is that that the well reached the top of the oil formation productive in the Virgin field. If no oil is encountered, the well will be properly plugged and abandoned by filling with shale and setting a regular marker at the surface, as required by the regulations.

APPROVAL GIVEN SUBJECT TO submission to this office of \$5000 drilling bond within 15 days from date of this approval. Blank bond form inclosed.

Approved

May 1 1925 (Date)

Company Diamond Oil Co.

By

WM. H. STRANG
Deputy Supervisor.
GEOLOGICAL SURVEY

Title

Chief Engineer

Address

Address 302 Vermont Bldg., Salt Lake City

NOTE: Reports on this form to be submitted in triplicate to the Supervisor for approval.

Form 9-222
Revised March 10, 1929
RECEIVED
AUG 5 1929
SALT LAKE CITY, UTAH

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

U. S. LAND OFFICE
SALT LAKE
032064 ✓
LEASE OR PERMIT

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Washington Field Virgin

The following is a correct report of operations and production (including drilling and producing wells) for the month of April to July incl, 1929

Agent's address Vermont Bldg. Company Diamond Oil Co.
Salt Lake City Signed C. H. Buskirk

Phone Spasatch 2168 Agent's title Engineer of Co.

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (in thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
SE NW 6	41S	11W	0	—	—	—				old well drilled in 1907 by David Martin. 900' deep. Now abandoned
<u>NE SE 1</u>	<u>41S</u>	<u>12W</u>	<u>1</u>							Shut down at 830' since Sept. 1925. May be carried deeper or cleaned out.

Still making arrangements
to drill a new location near
old well No. 0

NOTE.—There were runs or sales of oil; runs or sales of gas;

..... runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in triplicate with the supervisor by the 6th of the succeeding month unless otherwise directed by the supervisor.

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

U. S. LAND OFFICE
SERIAL NUMBER **SL 032067**
LEASE OR PERMIT **White**

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Washington Field Virgin

The following is a correct report of operations and production (including drilling and producing wells) for the month of August, 1929

Agent's address Virgin Company Simms Oil Company

Signed [Signature]

Phone _____ Agent's title Agent

SEC. AND 1/4 OF 1/4	TWP. RANGE	WELL No.	DAYS Produced	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
SE of NW of Sec. 6	41S 11W	#2							172'. Set casing at 106' - 8" " used and cemented with six sacks cement. Complete shutoff of water.
NE 1/4 of Sec. 1									
In east part of Section 14	18S 12W	#1							
1860 ft. N. or S. line and 14 ft. W. of E. line.									
SE of NW of Sec. 6	41S 11W	#							
2217 ft. S. of N. line and 2225 ft. E. of W. line									

RECEIVED
OCT 10 1929
SALT LAKE CITY, UTAH

Shut down at 830
since Sept
1925

Shut down at
about 900 feet.
Some oil
drilled in 1907,

NOTE.—There were no runs or sales of oil; no runs or sales of gas; no runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in triplicate with the supervisor by the 6th of the succeeding month unless otherwise directed by the supervisor.

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

U. S. LAND OFFICE *B. L.*
SERIAL NUMBER *032067*
LEASE OR PERMIT

LESSEE'S MONTHLY REPORT OF OPERATIONS

GEOLOGICAL SURVEY
RECEIVED

State Utah County Washington Field Virgin

The following is a correct report of operations and production (including drilling and producing wells) for the month of OCTOBER 1934

Agent's address Virgin, Utah
304 Vermont Bldg.,

Company DIAMOND OIL COMPANY

Signed Geo.-Eng.
Agent's title

Phone

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DATE PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
SE 1/4 SW 1/4 Sec. 6	41S	11W	0	-	-	-	-	-	-	Shut down at about 1000 ft., some oil at time of drilling in 1907. Has not been worked on since that time.
NE 1/4 SE 1/4 Sec. 1	41S	12W	1	-	-	-	-	-	-	Shut down at about 830 ft., since 1921. No oil, no water.
SE 1/4 NW 1/4 Sec. 6	41S	11W	2	-	-	-	-	-	-	Began drilling at 435 ft. Oct. 14th depth Oct. 31st about 635 ft. in top member of the Virgin Lime. Objective - Rock Con at about 1055 ft.
Virgin Placer #3 NW 1/4 SW 1/4 Sec. 13	41S	12W	3	28	191 1/2	26	none	none	5000	#1 plugged #2 shut down.

Wagon sales

No

None There were

runs or sales of oil

runs or sales of gas

no

runs or sales of gasoline during the month. (Write "no" where applicable.)

None Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in triplicate with the supervisor by the 6th of the succeeding month unless otherwise directed by the supervisor.

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

U. S. Land Office

Serial Number 032067

Lease or Permit D. T. John T. White

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF SHOOTING
NOTICE OF INTENTION TO CHANGE PLANS	RECORD OF PERFORATING CASING
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO ABANDON WELL
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	<input checked="" type="checkbox"/> SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HISTORY

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 30th, 1924

Following is a notice of intention to do work on land under permit described as follows:
~~report of work done~~

Well No. (1) One SE 1/4 Sec. 1 41 S. 12 W. Salt Lake
(State or Territory) (County or Subdivision) (Field)
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 1770 ft. N of S. line and 5 ft. E of E line of sec. (1) One
The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

To open, remove old plug, clean out hole to present depth of 830 feet, then to test ahead about 100 feet to Virgin Sand (Rock Canyon Congl.) at 930 feet. Then to bring in a well or properly abandon hole under the direction of the U. S. G. S.

(Present bond, when transferred, will be in name of Jerome L. Andrus, Trustee, but until then--see below:

NOTE: Approved with understanding that if discovery is made in Well No. 2 now drilling on acreage covered by this permit in Sec. 6, T. 41 S., R. 11 W., operations hereby approved will be immediately suspended filing lease application and selection of lease acreage and with the further understanding that NW 1/4 SW 1/4 Sec. 6, T. 41 S., R. 11 W., and NW 1/4 SE 1/4 Sec. 1, T. 41 S., R. 12 W., will be considered as a unit in all future lease transactions.

Approved (SEE NOTE) Dec. 5, 1924

Company Diamond Oil Company, until

R. W. Henderson
(Date)
R. W. Henderson

By [Signature]

Title District Engineer
306 Federal Building, GEOLOGICAL SURVEY

Title Engineer

Address Salt Lake City, Utah.

Address Virgin, Utah.



COPY RETAINED SALT LAKE CITY

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

U. S. Land Office

Serial Number 012067Lease or Permit D. T. John T. White

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO CHANGE PLANS		RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF		NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO SHOOT		SUPPLEMENTARY WELL HISTORY	

INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 24, 1935Following is a notice of intention to do work on land under permit described as follows:
~~report of work done~~
~~lease~~

Utah Washington County Virgin
(State or Territory) (County or Subdivision) (Field)

Well No. 1 NE 1/4 of SE 1/4 Sec 1 41 S 12 W Salt Lake
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 1840 ft. N of S line and 15 ft. W of E line of sec. 1-41-12

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

In accordance with Notice, approved Dec 5 1934 and confirmed by your office, letter of April 29 1935.

= To open, remove old plug, clean out to present depth of 830 ft. Then to test ahead about 100 ft to Virgin sand (Rock Canyon Conglomerate) at 930 feet, to bring in well, or properly abandon hole.

NOTE: Approved as a notice of intention to proceed under a prior approved plan to repair and test.

Approved (SEE NOTE) August 1, 1935

E. W. Henderson
Title District Engineer

306 Federal Bldg.,
Address Salt Lake City, Utah.

NOTE: Reports on this form to be submitted in triplicate to the Supervisor for approval.

Company Diamond Oil CoBy C. W. BushirkTitle EngineerAddress Virgin, Utah

COPY TAINED SALT LAKE CITY

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY


U. S. Land Office

Salt Lake City

Serial Number

Lease or Permit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO CHANGE PLANS	RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER LEASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 12th, 19 35

Following is a {notice of intention to do work} on land under {permit} described as follows:
~~report of work done~~ ~~well~~

Utah

(State or Territory)

Washington

(County or Subdivision)

Virgin

(Field)

Well No. One (1) SE-1/4 Sec. #1 41 S. 18 W. S. L. M. & B.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (M. & B.)

The well is located 1840 ft. ^N of 50. line and 15 ft. ^E of E. line of sec. #1
 (N) (E)

The elevation of the derrick floor above sea level is 5775 ft.


DETAILS OF PLAN OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

Since hole is dry and no sand is open, shall fill with mud clay to within five (5') foot from bottom of casing, then cement up from this point (five ft. (5')) from bottom of casing, ten to 15 ft. (10'-15'). Then fill with mud and gravel to within ten (10') feet of surface finishing with cement and putting in marker five (5') feet above surface.

Approved (SEE ATTACHED) August 17, 1935.

Company DIAMOND OIL COMPANY


 E. W. Henderson
 Title District Engineer
 306 Federal Bldg.,
 GEOLOGICAL SURVEY

By 
 Title Engineer

Address Salt Lake City, Utah.

Address Virgin, Utah.

NOTE.—Reports on this form to be submitted in triplicate to the Supervisor for approval.

OIL & GAS LEASING DIVISION 6-7082

1-418-627. Ref. No. 31, Diamond Oil Company, Well #1 (S. L. 032067)

ENE SE

July 1935

STATUS: CO. 830', sandy lime (Visited 7-27-35)

REMARKS: This well was drilled in 1934-35 at a time when there was limited supervision of activities on public lands in the Virgin field and consequently no reliable information is available as to hole conditions. The present operator believes there is a possibility that the hole is doing damage to subsurface formations and has requested permission to clean out the hole and either place the well on production or properly plug and abandon it. It was necessary to do considerable road work before a machine could be moved to the location. Cleaning out started July 30th.

1-418-124. Ref. No. 34, Diamond Oil Co. Well #1 (S. L. 032067)

E NE SE

STATUS: ABD. 830', sandy lime (Andrus 8-20-35)

REMARKS: Considerable time was spent in trying to clean out junk to test sands reported near bottom of hole. Hole could not be cleaned out without undue expense and since rig was needed to spud well No. 3 prior to September 1, hole was cemented back to bottom of casing and abandoned temporarily. Hole will be mudded to surface and properly abandoned later.

1-419-12W. Ref. No. 34, Diamond Oil Co. Well #1 (S. L. 038067)

E NE SE

Sept. 1935

STATUS: ABD. 850', sandy lime (Visited 9-15-35)

REMARKS: Plugging and abandonment work not completed. Will
be carried as ABD and dropped from monthly reports
until operations are resumed.

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

U. S. Land Office

Salt Lake City, Utah

Serial Number

Lease or Permit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF SHOOTING	
NOTICE OF INTENTION TO CHANGE PLANS	RECORD OF PERFORATING CASING	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT	X
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 1, 1937

Following is a ~~notice of intention to do work~~ report of work done on land under ~~lease~~ permit described as follows:

Utah Washington Virginia
(State or Territory) (County or Subdivision) (Field)

Well No. One SE 1/4 Sec. 1 42 S. 12 W. S. L. M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 1840 ft. N of S line and 14 ft. E of E line of sec. 1

The elevation of the derrick floor above sea level is 5775 ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

Plugging and abandonment of this well has been completed in accordance with approved Notice of Intention to Abandon dated August 12, 1935 and approved August 17, 1935.

Approved October 1, 1937
(Date)

E. W. Henderson.
District Engineer
306 Federal Building
Salt Lake City, Utah

Company Diamond Oil Co.
By C. N. Buskirk
Title Engineer
Address Virgin, Utah